




stone


WICANDERS®
Nature at your feet

Amorim Revestimentos
Rua do Ribeirinho 202
P. O. Box 13
4536-907 S. Paio de Oleiros
PORTUGAL

p_ (+351) 227 475 600
e_ wicanders.ar@amorim.com
www.wicanders.com

Enabling wellbeing in every room





WICANDERS®

Nature at your feet

Wicanders has a legacy that goes back to 1868 and is the global leading brand in flooring products with cork technology. Present in more than 70 countries, its promise is to provide Floors for Living, ready for real life, for our home and office, for our different rhythms, for our family and pets, for all those wonderful and simple, yet sometimes unexpected moments. Floors for our lives.

Over the years, Wicanders has developed sustainable floor and wall coverings with exclusive properties due to its innovative Corktech technology. By combining state of the art technology with the exclusive natural properties of cork, a higher standard in flooring is achieved. Available with cork, wood and stone looks, its products are able to provide a silent and thermally insulated environment, that endures impacts and is very comfortable to walk and stand on.

Wicanders means wellbeing, a choice for life!







FROM NATURE, TO YOUR SPECIAL SPACE.

Technology only makes sense if it improves people's lives. This concept finds expression in products developed with Corktech technology.

By using a unique engineered multilayer structure, which combines state of the art technology with the exclusive natural properties of cork, a higher standard in flooring is achieved, providing the perfect match between design and wellbeing.

Wicanders uniqueness is daily achieved by continuously research on how end customers think and live their spaces. Wicanders brings to the market products that provide a silent and thermally insulated environment, that endures through time and are sustainable at the same time.



Silence



**Natural
Thermal Insulation**



Walking Comfort



**Impact
Resistance**

stone


Resist⁺


Formats

905 x 295 x 10,5mm
35 5/8 x 11 5/8 x 3/8"





RANGE	Go			
	Essence			
	Resist ⁺			
	Hydrocork			


 Heavy Traffic Residential areas


 Moderate Traffic Commercial areas

 Medium Traffic Commercial areas

 Heavy Traffic Commercial areas

 Budget products

 Extra Cork

 Waterproof



Saurian Lime



Saurian Lime



Saurian Lime
E1XT001



Jurassic Limestone
E1XS001

Limestone

Fresh, light and peaceful as life should be.

Light floors bright up and amplify spaces enhancing natural light into a room. Limestone is a calm and luminous visual and a great choice to make your space feel fresh and airy.

Have the best of this look by complementing it with cool and clean colours, soft textures and bright materials to create a light and refreshing atmosphere.

Ideal for both traditional and contemporary interiors
Limestone is a timeless look.



stone Resist*



Arabian Slate

Slate



Cliff Slate
E1XQ001



Arabian Slate
E1XP001



Basque Slate
E1XR001



Basque Slate



Black Marble
E1XY001



Black Marble

Marble

Let the energy fill every space.

Veining floors add a sense of rhythm and Marble is a good example. This rich texture is the perfect choice for an energetic and dynamic atmosphere.

Warm and dark colours, bold patterns and heavy furniture for stronger and more vibrant space, are a good choice to enhance this marble look.

Marble adds flair and gives a stunning appearance for a more eye-catching interior.





Marble



Light Grey Marble
E1XW001



Beige Marble
E1XV001



Grey Marble
E1XU001



Graphite Marble
E1XX001



Grey Marble

Technical solution

PROTECTIVE WEAR LAYER

HIGH RESOLUTION DECORATIVE

AGGLOMERATED CORK 2,7MM

HDF – HIGH DENSITY FIBERBOARD WITH CORKLOC

INTEGRATED CORK UNDERLAY 1,2MM





Finishing & Warranty



HPS surface finish (High Performance Surface) has been specially developed for areas with heavy traffic, such as commercial, business or general public areas. This high performance surface has an extra hard wearing surface combined with Nano-Beads Technology, where extremely tiny beads are embedded in a top layer for improved properties such as scratch, slip, scuff and stain resistance.



Technical Data Sheet

Floating			
		0,55mm Wear layer HPS 905 x 295 x 10,5mm 35 5/8 x 11 5/8 x 3/8"	
Level of use Domestic	ISO 10874	Class	
Level of use Commercial	ISO 10874	Class	
Wear Layer Binder Content	ISO 10582	-	TYPE I
Surface Finishing	-	-	HPS 0,55 mm wear layer
	Standard-Test Method	Unit	Specification EN 14085 + ISO 10582

General properties

Nominal thickness for cork surfaces	ISO 24342	mm	2,7
Straightness measured at the surface layer	ISO 24342	mm	≤ 0,30
Squareness	ISO 24342	mm	≤ 0,20
Total mass per unit area average	ISO 23997	g/m ²	Nominal value (9210) - 10 % + 13%
Dimensional stability (humidity)	EN14085 (Annex C)	%	≤ 0,25
Openings between panels	EN 14085 (Annex B)	mm	≤ 0,20
Height difference between panels	EN 14085 (Annex B)	mm	≤ 0,15
Flatness of the panel (Length - Concave / Convex)	EN 14085 (Annex A)	%	≤ 0,50 / ≤ 1,0
Flatness of the panel (Width - Concave / Convex)	EN 14085 (Annex A)	%	≤ 0,10 / ≤ 0,15
Residual indentation	ISO 24343-1	mm	≤ 0,10
Colour fastness	ISO 105-BO2 Method	Blue wool scale	≥ 6

Classification properties - EN 14085

Thickness swelling	ISO 24336	%	≤15
Effect of castor chair	ISO 4918	Visual effect	No disturbance to the surface other than slight change in appearance and no delamination shall occur
Effect of a furniture leg	ISO 16581	Visual effect	No damage shall be visible when tested with foot type O
Thermal resistance	EN 12667	(m ² K)/W	≤ 0,11

Technical Data Sheet

Floating

0,55mm Wear layer | HPS
905 x 295 x 10,5mm 35 5/8 x 11 5/8 x 3/8"

Safety properties - EN 14041

Fire resistance	EN 13501-1	Class	Bfl s1
Slip resistance	EN 13893	Class	DS
Formaldehyde emission	EN 717-1	Class	E1
Content pentachlorophenol (PCP)	EN 14041 (Annex B)	%	PCP Free

Other performance properties

Impact sound reduction	EN ISO 10140-3:2010	dB (Δ Lw)	17
Reflected walking noise Improved measure Difference of loudness [Sone] relative difference	IHD - W - 431	dB %	9,5 49



Greenguard Certification helps the identification of interior products and materials that have low chemical emissions, improving the quality of the air in which the products are used. It promotes global sustainability, environmental health, and safety.



TÜV-PROFICERT-product Interior brand is a voluntary, independent label for VOC-emission and quality of floorings. The results comply with the emission thresholds of AgBB, Belgian VOC regulation, Finnish M1 classification, BREEAM Exemplary Level, LEED v4 (outside North America), RAL-UZ 120 and Austrian Eco Label (Guideline UZ 56).



As of January 2012, France has adopted regulations that limit total VOC emissions of building products. Manufacturers, selling their products in France must obtain a classification ranging from A+ (very low emissions) to C (high emissions). The declared goal is to improve indoor air quality in private/commercial buildings.



An Environmental Product Declaration is a verified document that reports environmental data of products based on life cycle assessment and other relevant information in accordance with the international standard ISO 14025.



Wicanders Flooring Collection is supported by a warranty. Please, read the warranty terms on www.wicanders.com

Get the best results with Wicanders accessories



Underlays

Increased comfort and insulation

To reinforce the already amazing insulation properties of cork flooring, Wicanders provides Acousticork, a cork underlay which lets you turn your home into an even cosier space.

Acousticork reduces the walking sound and heat dispersion. Overall, it makes rooms cosier and more peaceful, which is essential in making any house feel like home.

For Hydrocork products, if you wish to use underlay, please consult Wicanders website or your supplier for more information.

- High durability and long term resilience
- Increases floor thermal insulation
- Natural and sustainable product
- Easy to handle and install



Maintenance

Optimal care for an everlasting beauty

To keep your floor spotless, Wicanders has available a set of auxiliary products. Each of these has a specific purpose and is designed to make the caring of your floor as easy as possible.

Regular Maintenance



Wicanders Soft Cleaner

This mild detergent is appropriate for weekly or even daily cleaning. It can be used to remove dirt, stopping it from infiltrating in the joints and in the regular embossing of the product.



Wicanders Spray Cleaner

Designed for regular cleaning, this mild detergent has the advantage of being a spray, which makes it a quick and easy solution to apply directly on the floor. It is very effective in cleaning dirt or grease stains.



Skirtings

The perfect match to make a pleasant interior

In order to help create a more classy and harmonious interior, Wicanders provides skirting profiles to complement your floor. Create your ideal transition between the walls and the floor, whether by an exact match or contrasting colours.

Contact your supplier for information on the available skirting references.



CREATED BY HUMANS, INSPIRED BY NATURE

Wicanders represents an unique balance between the creation of innovative products and the protection of the environment, combining state-of-the-art technology with the amazing natural properties of cork.



A green production process – Cork waste resulting from the industrial process is 100% reincorporated into the production, creating an ecologically virtuous cycle.



Intensive use of biomass – The cork powder resulting from the industrial process is burned in order to create biomass which is then used as a major source of energy to supply the production facilities, allowing Wicanders also to base its production in a sustainable source of energy.



Low carbon emission – Cork's natural property of retaining CO₂ combined with an eco-sustainable industrial process allows Wicanders to develop eco-efficient products with a low carbon emissions factor, positively contributing to a sustainable environment.



Indoor Air Quality – Refined to be free of harmful phthalates Wicanders products have been awarded with worldwide indoor air quality certifications such as Greenguard Gold or A+.



Negative Global Warming Potential – The majority of Wicanders products contribute to reduce global warming, since they retain more CO₂ than they emit.

CORK - A SUSTAINABLE RAW MATERIAL

Cork comes from the bark of the Cork Oak, a slowly growing tree from the Mediterranean basin that may live for 200 years and plays a central role in the social and economic development of this region.



Truly environmental-friendly - The extraction of cork and its related industries are remarkably sustainable, since the tree is never cut or damaged during the extraction process and the bark regenerates after each harvest.



Positive ecological impact - It is estimated that the Portuguese cork oak forest - Montado - is responsible for retaining 5% of the country's annual CO₂ emission, representing 4.8 million tons per year.




An activity that crosses generations - Cork Oaks are manually harvested for the first time when the tree is 25 years old and then every 9 years making it an activity that passes from generation to generation.



A positive economic and social impact - Cork harvesting is a regular and cyclical process that contributes to environmental, economic and social sustainability of the rural areas in the Mediterranean region.








































Rural areas economic engine - The cork activity as well as related activities fueled by this industry create jobs in many rural areas of the country, encouraging people to settle there.



Product Selector

RANGE	Go	Essence		Resist ⁺	hydracork
FINISHING	0,2mm Wear Layer	NPC		0,55mm Wear Layer	
CLASS OF USE (ISO 10874)	23 Residential 31 Commercial	23 Residential 32 Commercial		23 Residential 33 Commercial	
BEVEL	No Bevel			4 Side Micro Bevel	
DIMENSION (mm inches)	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	605 x 445 x 10.5 23 13/16 x 17 1/2 x 3/8"	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	615 x 295 x 6 24 7/32 x 11 5/8 x 1/4"
Aphanite Basalt	BOV5002				
Arabian Slate				E1XP001	
Basque Slate				E1XR001	
Beige Marble				E1XV001	B5XV001
Beton Ashen		D816003			
Black Marble				E1XY001	
Chalked Grey Stone					B5V6001
Cliff Slate				E1XQ001	
Cloudy Chalk Stone	BOV6001				
Dark Beton					B5V5001
Graphite Marble				E1XX001	B5XX001
Grey Marble				E1XU001	
Jurassic Limestone				E1XS001	B5XS001
Light Grey Marble				E1XW001	B5XW001
Saurian Lime				E1XT001	
Travertine Argent			D818003		

Wicanders' range

LOOKS				
	cork	wood	stone	
RANGE	Go	  	   	   
	Essence	 	 	 
	Resist	—	 	—
	Resist ⁺	 	  	  
	Hydrocork	—	  	  
	Pure	  	—	—
	Parquet	—	 Engineered wood	—



Heavy Traffic Residential areas



Moderate Traffic Commercial areas



Medium Traffic Commercial areas



Heavy Traffic Commercial areas



Budget products



Glue down



Extra Cork



Waterproof



HeadQuarters

Amorim Revestimentos S.A
(+351) 227 475 600
geral.ar@amorim.com

www.wicanders.com

DE	Amorim Deutschland GmbH (+49) 4221 5 93-01	germany.ar.de@amorim.com
BE NE LUX	Amorim Benelux B.V. (+31) 166 604 111	info.ar.nl@amorim.com
AT	Amorim Deutschland GmbH (+43) 1 54 51 65 10	austria.ar.de@amorim.com
CH	Amorim Flooring Switzerland AG (+41) 41 726 20 20	info@amorim.ch
PT	Amorim Revestimentos, S.A. (+351) 227 475 600	geral.ar@amorim.com
ES	Amorim Revestimentos, S.A. (+34) 902 307 407	info.ar.es@amorim.com
FR	Amorim Revestimentos, S.A. (+33) 800 914 848	info.ar.fr@amorim.com
DK	Timberman Denmark A/S (+45) 995 252 52	timberman@timberman.dk
PL	Dom Korkowy, Sp. z o.o. (+48) 126 379 639	krakow@domkorkowy.pl
US	Amorim Flooring North America (+1) 410 553 60 62	info.ar.us@amorim.com
RU	Amorim Flooring Rus, OOO (+7) 495 280 7860	info.ar.ru@amorim.com

63748MT_INT | Rev0001 | Nov2017

