



cork



WICANDERS®

Nature at your feet

Amorim Revestimentos

Rua do Ribeirinho 202

P. O. Box 13

4536-907 S. Paio de Oleiros


PORTUGAL

p_ (+351) 227 475 600

e_ wicanders.ar@amorim.com

www.wicanders.com

Enabling wellbeing in every room





WICANDERS®

Nature at your feet

Wicanders has a legacy that goes back to 1868 and is the global leading brand in flooring products with cork technology. Present in more than 70 countries, its promise is to provide Floors for Living, ready for real life, for our home and office, for our different rhythms, for our family and pets, for all those wonderful and simple, yet sometimes unexpected moments. Floors for our lives.

Over the years, Wicanders has developed sustainable floor and wall coverings with exclusive properties due to its innovative Corktech technology. By combining state of the art technology with the exclusive natural properties of cork, a higher standard in flooring is achieved. Available with cork, wood and stone looks, its products are able to provide a silent and thermally insulated environment, that endures impacts and is very comfortable to walk and stand on.

Wicanders means wellbeing, a choice for life!







FROM NATURE, TO YOUR SPECIAL SPACE.

Technology only makes sense if it improves people's lives. This concept finds expression in products developed with Corktech technology.

By using a unique engineered multilayer structure, which combines state of the art technology with the exclusive natural properties of cork, a higher standard in flooring is achieved, providing the perfect match between design and wellbeing.

Wicanders uniqueness is daily achieved by continuously research on how end customers think and live their spaces. Wicanders brings to the market products that provide a silent and thermally insulated environment, that endures through time and are sustainable at the same time.



Silence




**Natural
Thermal Insulation**



**Walking
Comfort**



**Impact
Resistance**




Sample images are cut from larger pieces. Decor and shade may vary slightly.

cork Go

Formats

905 x 295 x 10,5mm
35 5/8 x 11 5/8 x 3/8"



Dream

RANGE	Go		
	Essence		
	Resist ⁺		
	Pure		

Heavy Traffic Residential areas

Moderate Traffic Commercial areas

Heavy Traffic Commercial areas

Budget products

Glue down



Moment

GA01002

905 x 295 x 10,5mm



Emotion

GB08002

905 x 295 x 10,5mm



Captivation

C824001

905 x 295 x 10,5mm



Attraction

GB03002

905 x 295 x 10,5mm


Class

Dance, laugh, play freely!

Around for many decades, Cork flooring has come into vogue in a major way mostly due to the fact that it is a green renewable resource that offers a unique set of benefits.

When it comes to choosing the ideal flooring for a child's bedroom, there's no better option than cork floors. Perfect for the ones that love to walk around barefoot, play freely, yet not worrying about being too loud with the toys on the floor. It is only a matter of choosing the most suitable look.

These full of class cork looks are available in natural, and light and dark painted colours that will fit and elevate your space as an out of the ordinary ambiance without surpassing the furniture and other decor elements.





Desire



Desire
GA21003





Dream

GB05003

905 x 295 x 10,5mm



Impulse

GB09002

905 x 295 x 10,5mm



Charm

GB01003

905 x 295 x 10,5mm



Ambition

GB06002

905 x 295 x 10,5mm



Appeal

GB10002

905 x 295 x 10,5mm




Intense

GB11002

905 x 295 x 10,5mm





Allure



Allure
GB02002

905 x 295 x 10,5mm



Technical solution


PROTECTIVE SURFACE

GENUINE CORK VENEER

AGGLOMERATED CORK 3,2MM

HDF – HIGH DENSITY FIBERBOARD WITH CORKLOC

INTEGRATED CORK UNDERLAY 1,2MM




Finishing & Warranty



WPS protective finishing (Wear Protect Surface) was developed with an excellent resistance for the most demanding domestic areas. This varnish has an improved long life span and a soft touch.



Technical Data Sheet

Floating			
			WPS 905 x 295 x 10,5mm 35 5/8x11 5/8x3/8"
Level of use Domestic	ISO 10874	Class	
Level of use Commercial	ISO 10874	Class	-
Finish Description	-	-	UV Acrylic varnish
	Standard-Test Method	Unit	Specification

General Properties - EN 14085 + EN 12104 + EN 655

Dimensions: Width Length	EN ISO 24346	mm	± 0,10% up to max. 0,5 max. 2,0
Overall thickness	EN ISO 24342	mm	± 0,25
Squareness	EN ISO 24342	mm	≤ 0,50
Straightness measured at the surface layer	EN ISO 24346	mm	≤ 0,30
Flatness of the panel (Length - Concave / Convex)	EN 14085 (Annex A)	%	≤ 0,50 / ≤ 1,0
Flatness of the panel (Width - Concave / Convex)	EN 14085 (Annex A)	%	≤ 0,10 / ≤ 0,15
Openings between panels	EN 14085 (Annex B)	mm	≤ 0,20
Height difference between panels	EN 14085 (Annex B)	mm	≤ 0,20
Dimensional stability (humidity)	EN 669 (Annex C)	%	≤ 5
Mass per unit area	ISO 23997	g/m²	Nominal Value (8000) -10%, +13%

Floating			
			WPS 905 x 295 x 10,5mm 35 5/8x11 5/8x3/8"

Classification Properties - EN 14085 + EN 12104 + EN 655

Nominal thickness for cork surface	EN ISO 24340	mm	≥ 2,5
Residual indentation	EN ISO 24343-1	mm	≤ 0,40

Safety properties - EN 14041

Fire resistance	EN 13501-1	Class	E _{fl-s1}
Slip classification	EN 13893	Class	DS
Formaldehyde emission	EN 717-1	Class	E1
Electrical behaviour	EN 1815	KV	Not Antistatic
Content pentachlorophenol (PCP)	EN 14041 (Annex B)	mg/Kg	PCP Free

Optional properties

Stains resistance	ISO 26987(a)	Grade (b)	Grade 0 (iodine: Grade 3)
Thermal resistance	EN 12667	(m²K)/W	R ≤ 0,150



Greenguard Certification helps the identification of interior products and materials that have low chemical emissions, improving the quality of the air in which the products are used. It promotes global sustainability, environmental health, and safety.



TÜV-PROFICERT-product Interior brand is a voluntary, independent label for VOC-emission and quality of floorings. The results comply with the emission thresholds of AgBB, Belgian VOC regulation, Finnish M1 classification, BREEAM Exemplary Level, LEED v4 (outside North America), RAL-UZ 120 and Austrian Eco Label (Guideline UZ 56).



As of January 2012, France has adopted regulations that limit total VOC emissions of building products. Manufacturers, selling their products in France must obtain a classification ranging from A+ (very low emissions) to C (high emissions). The declared goal is to improve indoor air quality in private/commercial buildings.



An Environmental Product Declaration is a verified document that reports environmental data of products based on life cycle assessment and other relevant information in accordance with the international standard ISO 14025.



The goal of the German Cork Association is to assure the quality of cork products, as well as the optimization of manufacturing processes and the support of research projects.



(a) The following products were tested: Desinfectant, Petroleum spirit, C₂H₅OH, NH₄OH, Citric acid and Iodine.

b) Grade 0 - Unchanged / Grade 1 - Very little change / Grade 2 - Little change / Grade 3 - Change / Grade 4 - Strong change.

Wicanders Flooring Collection is supported by a warranty. Please, read the warranty terms on **www.wicanders.com**

Get the best results with Wicanders accessories



Underlays

Increased comfort and insulation

To reinforce the already amazing insulation properties of cork flooring, Wicanders provides Acousticork, a cork underlay which lets you turn your home into an even cosier space.

Acousticork reduces the walking sound and heat dispersion. Overall, it makes rooms cosier and more peaceful, which is essential in making any house feel like home.

- High durability and long term resilience
- Increases floor thermal insulation
- Natural and sustainable product
- Easy to handle and install



Maintenance

Optimal care for an everlasting beauty

To keep your floor spotless, Wicanders has available a set of auxiliary products. Each of these has a specific purpose and is designed to make the caring of your floor as easy as possible.

Regular Maintenance



Wicanders Soft Cleaner

This mild detergent is appropriate for weekly or even daily cleaning. It can be used to remove dirt, stopping it from infiltrating in the joints and in the regular embossing of the product.



Wicanders Spray Cleaner

Designed for regular cleaning, this mild detergent has the advantage of being a spray, which makes it a quick and easy solution to apply directly on the floor. It is very effective in cleaning dirt or grease stains.



Skirtings

The perfect match to make a pleasant interior

In order to help create a more classy and harmonious interior, Wicanders provides skirting profiles to complement your floor. Create your ideal transition between the walls and the floor, whether by an exact match or contrasting colours.

Contact your supplier for information on the available skirting references.



CREATED BY HUMANS, INSPIRED BY NATURE

Wicanders represents an unique balance between the creation of innovative products and the protection of the environment, combining state-of-the-art technology with the amazing natural properties of cork.



A green production process – Cork waste resulting from the industrial process is 100% reincorporated into the production, creating an ecologically virtuous cycle.



Intensive use of biomass – The cork powder resulting from the industrial process is burned in order to create biomass which is then used as a major source of energy to supply the production facilities, allowing Wicanders also to base its production in a sustainable source of energy.



Low carbon emission – Cork's natural property of retaining CO₂ combined with an eco-sustainable industrial process allows Wicanders to develop eco-efficient products with a low carbon emissions factor, positively contributing to a sustainable environment.



Indoor Air Quality – Refined to be free of harmful phthalates Wicanders products have been awarded with worldwide indoor air quality certifications such as Greenguard Gold or A+.



Negative Global Warming Potential – The majority of Wicanders products contribute to reduce global warming, since they retain more CO₂ than they emit.

CORK - A SUSTAINABLE RAW MATERIAL

Cork comes from the bark of the Cork Oak, a slowly growing tree from the Mediterranean basin that may live for 200 years and plays a central role in the social and economic development of this region.



Truly environmental-friendly - The extraction of cork and its related industries are remarkably sustainable, since the tree is never cut or damaged during the extraction process and the bark regenerates after each harvest.



Positive ecological impact - It is estimated that the Portuguese cork oak forest - Montado - is responsible for retaining 5% of the country's annual CO₂ emission, representing 4.8 million tons per year.




An activity that crosses generations - Cork Oaks are manually harvested for the first time when the tree is 25 years old and then every 9 years making it an activity that passes from generation to generation.



A positive economic and social impact - Cork harvesting is a regular and cyclical process that contributes to environmental, economic and social sustainability of the rural areas in the Mediterranean region.



Rural areas economic engine - The cork activity as well as related activities fueled by this industry create jobs in many rural areas of the country, encouraging people to settle there.



Product Selector

RANGE	Go	Essence			Resist ⁺			Pure	
FINISHING	WPS	WRT			HPS			PU	
CLASS OF USE (ISO 10874)	23 Residential	23 Residential 31 Commercial			23 Residential 33 Commercial			23 Residential	
BEVEL	No Bevel	No Bevel	4 Side Bevel		4 Side Micro Bevel			No Bevel	
DIMENSION (mm inches)	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	605 x 445 x 10.5 23 13/16 x 17 1/2 x 3/8"	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	1220 x 140 x 10.5 48 x 5 1/2 x 3/8"	605 x 445 x 10.5 23 13/16 x 17 1/2 x 3/8"	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	1220 x 140 x 10.5 48 x 5 1/2 x 3/8"	600 x 300 x 6 23 5/8 x 11 13/16 x 1/4"	900 x 300 x 4 35 7/16 x 11 13/16 x 3/16"
Allure	GB02002								
Ambition	GB06002								
Appeal	GB10002								
Attraction	GB03002								
Captivation	C824001								
Charm	GB01003								
Desire	GA21003								
Dream	GB05003								
Emotion	GB08002								
Fashionable Cement			C85L001			C15L001			C95L001
Fashionable Glacier			C85J001			C15J001			C95J001
Fashionable Grafite			C85M001			C15M001			C95M001
Fashionable Macchiato			C85N001			C15N001			C95N001
Fashionable Mystic			C85K001			C15K001			C95K001
Flock Champagne				C81Y001			C11Y001		
Flock Chestnut				C84A001			C14A001		
Flock Moonlight				C81X001			C11X001		

Product Selector

RANGE	Go	Essence			Resist ⁺			Pure	
FINISHING	WPS	WRT			HPS			PU	
CLASS OF USE (ISO 10874)	23 Residential	23 Residential 31 Commercial			23 Residential 33 Commercial			23 Residential	
BEVEL	No Bevel	No Bevel	4 Side Bevel		4 Side Micro Bevel			No Bevel	
DIMENSION (mm inches)	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	605 x 445 x 10.5 23 13/16 x 17 1/2 x 3/8"	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	1220 x 140 x 10.5 48 x 5 1/2 x 3/8"	605 x 445 x 10.5 23 13/16 x 17 1/2 x 3/8"	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	1220 x 140 x 10.5 48 x 5 1/2 x 3/8"	600 x 300 x 6 23 5/8 x 11 13/16 x 1/4"	900 x 300 x 4 35 7/16 x 11 13/16 x 3/16"
Flock Tea				C83Z001			C13Z001		
Identity Champagne			I805002			C12O001			
Identity Chestnut			I832002			C13G001			
Identity Eden			I806002			C12P001			
Identity Moonlight			I801002			C12N002			
Identity Nightshade			I821002			C12L001			
Identity Silver			I803002			C12Y002			
Identity Tea			I810002			C12R001			
Identity Timide			I802002			C12M001			
Impulse	GB09002								
Intense	GB11002								
Lane Chestnut				C83S001			C13S001		C93S001
Lane Timide				C83R001			C13R001		C93R001
Linn Blush		C81O001			C11O003				
Linn Cioccolato		C81L001			C11L002				
Linn Moon		C81N001			C11N001				
Moment	GA01002								

Pure								
PU						Sanded		WRT
23 Residential						23 Residential 31 Commercial		
4 Side Bevel					2 Side Bevel	No Bevel		No Bevel
450 x 450 x 6 17 11/16 x 17 11/16 x 1/4"	600 x 150 x 4 23 5/8 x 5 7/8 x 3/16"	600 x 300 x 4 23 5/8 x 11 13/16 x 3/16"	600 x 300 x 6 23 5/8 x 11 13/16 x 1/4"	600 x 450 x 4 23 5/8 x 17 11/16 x 3/16"	900 x 150 x 4 35 7/16 x 5 7/8 x 3/16"	600 x 300 x 4 23 5/8 x 11 13/16 x 3/16"	600 x 300 x 6 23 5/8 x 11 13/16 x 1/4"	600 x 300 x 4 23 5/8 x 11 13/16 x 3/16"
		C93Z001						
			I905002	C92O001				
			I932002	C93G001				
			I906002					
			I901002	C92N001				
			I921002	C92L001				
			I903002					
			I910002	C92R001				
			I902002	C92M001				
				C91O003				
				C91L003				
				C91N003				

Product Selector

RANGE	Go	Essence			Resist ⁺			Pure	
FINISHING	WPS	WRT			HPS			PU	
CLASS OF USE (ISO 10874)	23 Residential	23 Residential 31 Commercial			23 Residential 33 Commercial			23 Residential	
BEVEL	No Bevel	No Bevel	4 Side Bevel		4 Side Micro Bevel			No Bevel	
DIMENSION (mm inches)	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	605 x 445 x 10.5 23 13/16 x 17 1/2 x 3/8"	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	1220 x 140 x 10.5 48 x 5 1/2 x 3/8"	605 x 445 x 10.5 23 13/16 x 17 1/2 x 3/8"	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	1220 x 140 x 10.5 48 x 5 1/2 x 3/8"	600 x 300 x 6 23 5/8 x 11 13/16 x 1/4"	900 x 300 x 4 35 7/16 x 11 13/16 x 3/16"
Novel Brick Drill			C86S001			C16S001			C96S001
Novel Brick Flax			C86T001			C16T001			C96T001
Novel Brick Natural			C8G1001			C1G1001			C9G1001
Novel Brick Taffeta			C86R001			C16R001			C96R001
Novel Edge Burlap			C86U001			C16U001			C96U001
Novel Edge Drill			C86V001			C16V001			C96V001
Novel Edge Lace			C86W001			C16W001			C96W001
Novel Edge Natural			C8G2001			C1G2001			C9G2001
Novel Twist Drill			C86P001			C16P001			C96P001
Novel Twist Natural			C8G0001			C1G0001			C9G0001
Novel Twist Taffeta			C86O001			C16O001			C96O001
Novel Twist Velvet			C86Q001			C16Q001			C96Q001
Originals Accent			O841002			C141001			
Originals Character			O822002			C122001			
Originals Country			O832004			C132001			
Originals Dawn			O849003			C149001		DN13001	
Originals Harmony			O821005			C121001		DN11003	

Product Selector

RANGE	Go	Essence			Resist ⁺			Pure	
FINISHING	WPS	WRT			HPS			PU	
CLASS OF USE (ISO 10874)	23 Residential	23 Residential 31 Commercial			23 Residential 33 Commercial			23 Residential	
BEVEL	No Bevel	No Bevel	4 Side Bevel		4 Side Micro Bevel			No Bevel	
DIMENSION (mm inches)	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	605 x 445 x 10.5 23 13/16 x 17 1/2 x 3/8"	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	1220 x 140 x 10.5 48 x 5 1/2 x 3/8"	605 x 445 x 10.5 23 13/16 x 17 1/2 x 3/8"	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	1220 x 140 x 10.5 48 x 5 1/2 x 3/8"	600 x 300 x 6 23 5/8 x 11 13/16 x 1/4"	900 x 300 x 4 35 7/16 x 11 13/16 x 3/16"
Originals Natural			O801007			C11I001			
Originals Rhapsody			O825005			C125001			
Originals Shell			O824003			C124001		DN10001	
Originals Symphony			O830003			C130001		DN20001	
Originals Traditional									
Personality Champagne			P805002			C13K001			
Personality Chestnut			P832002			C14X001			
Personality Eden			P806002			C15S001			
Personality Moonlight			P801002			C14H001			
Personality Spice			P808002			C15U001			
Personality Tea			P810002			C15T001			
Personality Timide			P802002			C13J001			
President Chestnut				F832003			C14L001		C94L001
President Chocolate				F831002			C14I001		C94I001
President Spice				F808002			C14K001		C94K001
Reed Barley				C83U001			C13U001		C93U001
Reed Meridian				C83T001			C13T001		C93T001

RV10003

DN12003

RN14002

RV14004

RN20001

RN01008

EN01005

P905003

C94X004

P906003

P901003

C95U002

P910003

P902003



































Product Selector

RANGE	Go	Essence			Resist ⁺			Pure	
FINISHING	WPS	WRT			HPS			PU	
CLASS OF USE (ISO 10874)	23 Residential	23 Residential 31 Commercial			23 Residential 33 Commercial			23 Residential	
BEVEL	No Bevel	No Bevel		4 Side Bevel	4 Side Micro Bevel			No Bevel	
DIMENSION (mm inches)	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	605 x 445 x 10.5 23 13/16 x 17 1/2 x 3/8"	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	1220 x 140 x 10.5 48 x 5 1/2 x 3/8"	605 x 445 x 10.5 23 13/16 x 17 1/2 x 3/8"	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	1220 x 140 x 10.5 48 x 5 1/2 x 3/8"	600 x 300 x 6 23 5/8 x 11 13/16 x 1/4"	900 x 300 x 4 35 7/16 x 11 13/16 x 3/16"
Skin Dark									
Skin Natural									
Skin Timide									
Slate Arctic		C81D001			C11D002				
Slate Caffè		C81A001			C11A002				
Slate Moccaccino		C81C001			C11C002				
Traces Champagne				C85O001			C15O001		
Traces Chestnut				C85R001			C15R001		
Traces Moonlight				C85P001			C15P001		
Traces Spice				Q808003			C14N001		
Traces Tea				Q810001			C14M001		
Tweedy SawCut Moon			C86D001						
Tweedy Wood Cocoa			C86F001						
Tweedy Wood Coffe			C86I001						
Tweedy Wood Timide			C86H001						

Pure								
PU						Sanded		WRT
23 Residential						23 Residential 31 Commercial		
4 Side Bevel					2 Side Bevel	No Bevel		No Bevel
450 x 450 x 6 17 11/16 x 17 11/16 x 1/4"	600 x 150 x 4 23 5/8 x 5 7/8 x 3/16"	600 x 300 x 4 23 5/8 x 11 13/16 x 3/16"	600 x 300 x 6 23 5/8 x 11 13/16 x 1/4"	600 x 450 x 4 23 5/8 x 17 11/16 x 3/16"	900 x 150 x 4 35 7/16 x 5 7/8 x 3/16"	600 x 300 x 4 23 5/8 x 11 13/16 x 3/16"	600 x 300 x 6 23 5/8 x 11 13/16 x 1/4"	600 x 300 x 4 23 5/8 x 11 13/16 x 3/16"
C95B001								
C95V001								
C95C001								
				C91D002				
				C91A002				
				C91C002				
	C95O001				C95O002			
	C95R001				C95R002			
	C95P001				C95P002			
	C94N001							
	C94M001							



Wicanders' range


LOOKS				
	cork	wood	stone	
RANGE	Go	 	  	  
	Essence	 	 	 
	Resist	—	 	—
	Resist ⁺	 	  	  
	Hydrocork	—	  	  
	Pure	  	—	—
	Parquet	—	 Engineered wood	—

 Heavy Traffic Residential areas

 Moderate Traffic Commercial areas


 Medium Traffic Commercial areas

 Heavy Traffic Commercial areas

 Budget products

 Glue down

 Extra Cork

 Waterproof



WICANDERS®

Nature at your feet



AMORIM

HeadQuarters

Amorim Revestimentos S.A

(+351) 227 475 600

geral.ar@amorim.com

www.wicanders.com

DE	Amorim Deutschland GmbH (+49) 4221 5 93-01	germany.ar.de@amorim.com
BE NE LUX	Amorim Benelux B.V. (+31) 166 604 111	info.ar.nl@amorim.com
AT	Amorim Deutschland GmbH (+43) 1 54 51 65 10	austria.ar.de@amorim.com
CH	Amorim Flooring Switzerland AG (+41) 41 726 20 20	info@amorim.ch
PT	Amorim Revestimentos, S.A. (+351) 227 475 600	geral.ar@amorim.com
ES	Amorim Revestimentos, S.A. (+34) 902 307 407	info.ar.es@amorim.com
FR	Amorim Revestimentos, S.A. (+33) 800 914 848	info.ar.fr@amorim.com
DK	Timberman Denmark A/S (+45) 995 252 52	timberman@timberman.dk
PL	Dom Korkowy, Sp. z o.o. (+48) 126 379 639	krakow@domkorkowy.pl
US	Amorim Flooring North America (+1) 410 553 60 62	info.ar.us@amorim.com
RU	Amorim Flooring Rus, OOO (+7) 495 280 7860	info.ar.ru@amorim.com

63750MT_INT | Rev000 | Dec2017

